


# Mature Tree Care

Think of tree care as an investment. A healthy tree increases in value with age—paying big dividends, increasing property values, beautifying our surroundings, purifying our air, and saving energy by providing cooling shade from summer’s heat and protection from winter’s wind.

Providing a preventive care program for your landscape plants is like putting money in the bank. Regular maintenance, designed to promote plant health and vigor, ensures their value will continue to grow. Preventing a problem is much less costly and time-consuming than curing one once it has developed. An effective maintenance program, including regular inspections and the necessary follow-up care of mulching, fertilizing, and pruning, can detect problems and correct them before they become damaging or fatal. Considering that many tree species can live as long as 200 to 300 years, including these practices when caring for your home landscape is an investment that will offer enjoyment and value for generations.

## Tree Inspection

Tree inspection is an evaluation tool to call attention to any change in the tree’s health before the problem becomes too serious. By providing regular inspections of mature trees at least once a year, you can prevent or reduce the severity of future disease, insect, and environmental problems. During tree inspection, be sure to examine four characteristics of tree vigor: new leaves or buds, leaf size, twig growth, and absence of crown dieback (gradual death of the upper part of the tree).



A reduction in the extension of shoots (new growing parts), such as buds or new leaves, is a fairly reliable cue that the tree's health has recently changed. To evaluate this factor, compare the growth of the shoots over the past three years. Determine whether there is a reduction in the tree's typical growth pattern.

Further signs of poor tree health are trunk decay, crown dieback, or both. These symptoms often indicate problems that began several years before. Loose bark or deformed growths, such as trunk conks (mushrooms), are common signs of stem decay.

Any abnormalities found during these inspections, including insect activity and spotted, deformed, discolored, or dead leaves and twigs, should be noted and watched closely. If you are uncertain as to what should be done, report your findings to your local ISA Certified Arborist or other tree care professional for advice on possible treatment.

## **Mulching**

Mulching can reduce environmental stress by providing trees with a stable root environment that is cooler and contains more moisture than the surrounding soil. Mulch can also prevent mechanical damage by keeping machines such as lawn mowers and string trimmers away from the tree's base. Further, mulch reduces competition from surrounding weeds and turf.

To be most effective in all of these functions, mulch should be placed 2 to 4 inches deep and cover the entire root system, which may be as far as 2 or 3 times the diameter of the branch spread of the tree. If the area and activities happening around the tree do not permit the entire area to be mulched, it is recommended that you mulch as much of the area under the drip line of the tree as possible (refer to diagram). When placing mulch, care should be taken not to cover the actual trunk of the tree. This mulch-free area, 1 to 2 inches wide at the base, is sufficient to avoid moist bark conditions and prevent trunk decay.

An organic mulch layer 2 to 4 inches deep of loosely packed shredded leaves, pine straw, peat moss, or composted wood chips is adequate. Plastic should not be used because it interferes with the exchange of gases between soil and air, which inhibits root growth. Thicker mulch layers, 5 to 6 inches deep or greater, may also inhibit gas exchange.

## **Fertilization**

Fertilization is another important aspect of mature tree care. Trees require certain nutrients (essential elements) to function and grow. Urban landscape trees can be growing in soils that do not contain sufficient available nutrients for satisfactory growth and development. In these situations, it may be necessary to fertilize to improve plant vigor.

Fertilizing a tree can improve growth; however, if fertilizer is not applied wisely, it may not benefit the tree at all and may even adversely affect the tree. Mature trees making satisfactory growth may not require fertilization. When considering supplemental fertilizer, it is important to know which nutrients are needed and when and how they should be applied.

Soil conditions, especially pH and organic matter content, vary greatly, making the proper selection and use of fertilizer a somewhat complex process. When dealing with a mature tree that provides considerable benefit and value to your landscape, it is worth the time and investment to have the soil tested for nutrient content. Any arborist can arrange to have your soil tested at a soil testing laboratory and can give advice on application rates, timing, and the best blend of fertilizer for each of your trees and other landscape plants.

Mature trees have expansive root systems that extend from 2 to 3 times the size of the leaf canopy. A major portion of actively growing roots is located outside the tree's drip line. It is important to understand this fact when applying fertilizer to your trees as well as your turf. Many lawn fertilizers contain weed and feed formulations that may be harmful to your trees. When you apply a broadleaf herbicide to your turf, remember that tree roots coexist with turf roots. The same herbicide that kills broadleaf weeds in your lawn is picked up by tree roots and can harm or kill your broadleaf trees if applied incorrectly. Understanding the actual size and extent of a tree's root system before you fertilize is necessary to determine how much, what type, and where to best apply fertilizer.

## **Pruning**

Pruning is the most common tree maintenance procedure next to watering. Pruning is often desirable or necessary to remove dead, diseased, or insect-infested branches and to improve tree structure, enhance vigor, or maintain safety. Because each cut has the potential to change the growth of (or cause damage to) a tree, no branch should be removed without a reason.

Removing foliage from a tree has two distinct effects on its growth. Removing leaves reduces photosynthesis and may reduce overall growth. That is why pruning should always be performed sparingly. Overpruning is extremely harmful because without enough leaves, a tree cannot gather and process enough sunlight to survive. However, after pruning, the growth that does occur takes place on fewer shoots, so they tend to grow longer than they would without pruning. Understanding how the tree responds to pruning should assist you when selecting branches for removal.

Pruning mature trees may require special equipment, training, and experience. If the pruning work requires climbing, the use of a chain or hand saw, or the removal of large limbs, then using personal safety equipment, such as protective eyewear and hearing protection, is a must. Arborists can provide a variety of services to assist in performing the job safely and reducing risk of personal injury and damage to your property. They also are able to determine which type of pruning is necessary to maintain or improve the health, appearance, and safety of your trees.

## **Removal**

Although tree removal is a last resort, there are circumstances when it is necessary. An arborist can help decide whether or not a tree should be removed. Professionally trained arborists have the skills and equipment to safely and efficiently remove trees.

Removal is recommended when a tree

- is dead, dying, or considered irreparably hazardous
- is causing an obstruction or is crowding and causing harm to other trees and the situation is impossible to correct through pruning
- is to be replaced by a more suitable specimen
- should be removed to allow for construction

With proper maintenance, trees are attractive and can add considerable value to your property. Poorly maintained trees, on the other hand, can be a significant liability. Pruning or removing trees, especially large trees, can be dangerous work. It should be performed only by those trained and equipped to work safely in trees. For more information on mature tree care, contact your local ISA Certified Arborist.

### The PHC Alternative

Maintaining mature landscapes is a complicated undertaking. You may wish to consider a professional Plant Health Care (PHC) maintenance program, which is now available from many landscape care companies. A PHC program is designed to maintain plant vigor and should initially include inspections to detect and treat any existing problems that could be damaging or fatal. Thereafter, regular inspections and preventive maintenance will ensure plant health and beauty. Refer to our Plant Health Care brochure for more information.

E-mail inquiries: [isa@isa-arbor.com](mailto:isa@isa-arbor.com)

(c) 1998, 2004 International Society of Arboriculture.  
UPDATED JULY 2005



Developed by the International Society of Arboriculture (ISA), a non-profit organization supporting tree care research around the world and is dedicated to the care and preservation of shade and ornamental trees. For further information, contact:  
ISA, P.O. Box 3129, Champaign, IL 61826-3129, USA.



Provided by  
Back Tree Service, 2300 E. Kemper Road, Cincinnati, OH 45241  
E-mail: [info@backtree.com](mailto:info@backtree.com)  
Phone: 513-742-8733  
[www.backtree.com](http://www.backtree.com)